	Application No.	Applicant(s)	
Notice of Allowability	10/010,233	BRENNEMAN ET AL.	
	Examiner	Art Unit	
	Kaj K Olsen	1753	
The MAILING DATE of this communication app All claims being allowable, PROSECUTION ON THE MERITS Is herewith (or previously mailed), a Notice of Allowance (PTOL-85 NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT I of the Office or upon petition by the applicant. See 37 CFR 1.37	S (OR REMAINS) CLOSED	in this application. If not included nunication will be mailed in due course. THIS	s itive
1. \square This communication is responsive to <u>the amendment and</u>	d arguments of 5-7-2004.		
2. The allowed claim(s) is/are 16 and 20-24.			
3. \square The drawings filed on $___$ are accepted by the Examir	er.		
 4. ☐ Acknowledgment is made of a claim for foreign priority a) a) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	ve been received. ve been received in Applica	ion No	
Applicant has THREE MONTHS FROM THE "MAILING DATE noted below. Failure to timely comply will result in ABANDON THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		le a reply complying with the requirements	
5. A SUBSTITUTE OATH OR DECLARATION must be sub- INFORMAL PATENT APPLICATION (PTO-152) which gi			
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") me (a) ☐ including changes required by the Notice of Draftspe 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examine Paper No./Mail Date 8-6-04. Identifying indicia such as the application number (see 37 CFR each sheet. Replacement sheet(s) should be labeled as such in 7. ☐ DEPOSIT OF and/or INFORMATION about the depattached Examiner's comment regarding REQUIREMENT	rson's Patent Drawing Revi r's Amendment / Comment 1.84(c)) should be written on the header according to 37 (osit of BIOLOGICAL MA	or in the Office action of the drawings in the front (not the back) of FR 1.121(d). TERIAL must be submitted. Note the	
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948)	5. ☐ Notice of) 6. ☐ Interview	Informal Patent Application (PTO-152) Summary (PTO-413), D./Mail Date	
3. Information Disclosure Statements (PTO-1449 or PTO/SB Paper No./Mail Date	/08), 7. ⊠ Examiner	s Amendment/Comment	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ☐ Examiner 9. ☐ Other	s Statement of Reasons for Allowance	
of Biological Material	v. 🗖 0000 <u>—</u>	_	
			į

Application/Control Number: 10/010,233

Art Unit: 1753

1

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows: The title of the invention was changed to --Electrochemical Sensor--.

In the specification at the beginning of page 1, the following text was inserted: --This application claims the benefit of provisional application 60/254,626, filed on 12/12/2000.-
Claims 1-15 and 17-19 (previously withdrawn without traverse) were cancelled.

2. The drawings filed on 12-7-2001 are acceptable subject to correction of the informalities. Fig. 13-15 contain handwritten text and crossed-off elements. In addition, sheets 1-6 are mislabeled as "1/6", "2/6", etc. This should be either deleted or replaced with --1/8--, --2/8--, etc. In order to avoid abandonment of this application, correction is required in reply to the Office action. The correction will not be held in abeyance.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kaj Olsen whose telephone number is (571) 272-1344. The examiner can normally be reached on Monday through Thursday from 6:30 A.M. to 4:00 P.M. and on alternate Fridays.

Art Unit: 1753

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Nam Nguyen, can be reached on 571-272-1342. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

AU 1753 August 12, 2004 KAUK. OLSEN PRIMARY EXAMINER